

AMENDED

No 42114

# APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 19 1980

Returned to applicant for correction \_\_\_\_\_

Corrected application filed OCT 29 1980Map filed OCT 29 1980The applicant Dresser Industries, Inc.P.O. Box 1937 \_\_\_\_\_, of Elko \_\_\_\_\_  
Street and No. or P.O. Box No. City or TownNevada 89801 \_\_\_\_\_, hereby make application for permission to appropriate the public  
State and Zip Code No.waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Incorporated in Delaware  
on April 23, 19561. The source of the proposed appropriation is underground (Well No. 4)  
Name of stream, lake, spring, underground or other source2. The amount of water applied for is 1.5 \_\_\_\_\_ second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet \_\_\_\_\_

3. The water to be used for milling, mining and domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated: \_\_\_\_\_

(b) Stockwater, state number and kinds of animals to be watered: \_\_\_\_\_

(c) Other use (describe fully under "No. 12. Remarks" \_\_\_\_\_

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point: within the NE $\frac{1}{4}$  SE $\frac{1}{4}$ , Sec. 10,  
Describe as being within a 40-acre subdivision of public  
T.12N., R.46E., M.D.B.&M., at a point from which the NE corner of Section 2,  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
T.12N., R.46E. bears North 37°39'42" East, a distance of 10,921.78 feet.6. Place of use portions of the W $\frac{1}{2}$  SW $\frac{1}{4}$ , SW $\frac{1}{4}$  NW $\frac{1}{4}$  Sec. 27; S $\frac{1}{2}$  and S $\frac{1}{2}$  N $\frac{1}{2}$  Sec. 28;  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
SE $\frac{1}{4}$  SE $\frac{1}{4}$  Sec. 32; E $\frac{1}{2}$ , E $\frac{1}{2}$  W $\frac{1}{2}$ , SW $\frac{1}{4}$  SW $\frac{1}{4}$  Sec. 33, all of Section 34, all within  
T.13N., R.46E., M.D.B.&M. and within the NE $\frac{1}{4}$  NE $\frac{1}{4}$  Sec. 5; the N $\frac{1}{2}$ , N $\frac{1}{2}$  SW $\frac{1}{4}$ ,  
NW $\frac{1}{4}$  SE $\frac{1}{4}$ , Sec. 4; the W $\frac{1}{2}$  NW $\frac{1}{4}$  Sec. 3; all within T.12N., R.46E., as more  
particularly set forth on the supporting map.7. Use will begin about January 1 \_\_\_\_\_ and end about December 31 \_\_\_\_\_, of each year.  
Month and Day Month and Day8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled and cased well, pump, motor,  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
and distribution system  
flumes, drilled well with pump and motor, etc.9. Estimated cost of works \$50,000.00

10. Estimated time required to construct works..... Four years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... Five years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The total duty from this well, together with the other wells of  
 Applicant will not exceed 1,000 gallons per minute, 24 hours per day,  
 365 days per year.

By..... s/Ross E. de Lipkau  
 Ross E. de Lipkau  
 P.O. Box 2790  
 Reno, Nevada 89505  
 Compared..... 11/bc..... 11/bc.....  
 Protested..... Pro. 3/19/81 by E. Wayne & Jean N. Hage  
 Overruled 8/20/81 See Ruling 2704

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under this permit and Permits 42115, 42116, 42117, 42481, 42482, and 42483 shall not exceed 525.6 million gallons annually.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.5..... cubic feet per second., but not to exceed..... 353.87 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... November 18, 1983

Proof of completion of work shall be filed before..... December 18, 1983

Application of water to beneficial use shall be made on or before..... November 18, 1986

Proof of the application of water to beneficial use shall be filed on or before..... December 18, 1986

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I..... PETER G. MORROS.....  
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed..... my office, this..... 11TH..... day of..... MARCH.....

Cultural map filed.....

Certificate No..... Issued.....



A.D. 19..... 85.....

*[Signature]*  
 State Engineer

(PERMIT TERMS CONTINUED)

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.



State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works \$50,000.00
- 10. Estimated time required to construct works Four years
- 11. Estimated time required to complete the application to beneficial use Five years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The total duty from this well, together with the other wells of Applicant will not exceed 1,000 gallons per minute, 24 hours per day, 365 days per year.

Applicant DRESSER INDUSTRIES, INC.  
 Pro. 3/19/81 by E. Wayne & Jean N. Hage  
 Overruled 8/20/81 See Ruling 2704

By s/Ross E. de Lipkau  
 Ross E. de Lipkau  
 P. O. Box 2790  
 Reno, Nevada 89505

Compared ha/bc bt/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under this permit and Permits 42115, 42116, 42117, 42481, 42482, and 42483 shall not exceed 525.6 million gallons annually. This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.5 cubic feet per second, but not to exceed 525.6 million gallons annually.

- Actual construction work shall begin on or before N/A
- Proof of commencement of work shall be filed before N/A
- Work must be prosecuted with reasonable diligence and be completed on or before November 18, 1983
- Proof of completion of work shall be filed before December 18, 1983
- Application of water to beneficial use shall be made on or before November 18, 1986
- Proof of the application of water to beneficial use shall be filed on or before December 18, 1986
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I PETER G. MORROS  
 Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of  
 Proof of beneficial use filed my office, this 18th day of NOVEMBER

Certificate No. Issued  
 WITHDRAWN BY APPLICANT  
 218 (Rev.)  
 State Engineer